

Spectrum LV Plug & Play Stalk Spotlight Kits - Battery Operated




Spectrum LED Plug & Play Stalk Kits from Display Lighting are robust, high quality and hard wearing spotlights that are manufactured in the UK and very easy to set up using simple plug & play barrel connectors meaning there is zero wiring required. BKIT's are supplied with mains power adapters and lithium batteries for operating the spotlights when there is no access to mains power. The pure design ensures that the spotlights are as unobtrusive as possible so that your products are illuminated to their full potential without obstruction. The kits are supplied with a choice of 2800K or 4000K 3W MR11 LED lamps that produce over 230lm each and are easy to replace.

- Available in kits of 1, 2, 3 or 4 spotlights.
- Plug & Play for quick set up in exhibition & retail displays.
- Low heat illumination.
- No ultraviolet light so does not fade materials.
- Unobtrusive.


Technical Specifications

Kit Codes:	BKIT1XS114.300.RF - 1 Spot Plug & Play Kit BKIT2XS114.300.RF - 2 Spot Plug & Play Kit BKIT3XS114.300.RF - 3 Spot Plug & Play Kit BKIT4XS114.300.RF - 4 Spot Plug & Play Kit
Head Diameter:	25mm
Length:	300mm (<i>visible projected length excluding clamps - bespoke sizes also available</i>)
Material/s:	Brass
Electrical Connection/s:	Plug & Play
Lead Length:	1800mm (<i>1m, 3m & 5m Extensions available separately</i>)
CCT (Lumens):	VW - 2800K (230lm CRI80>) CW - 4000K (230lm CRI80>)
Watts:	3W (MR11 G4 LED Lamp)
Fixing:	Rear Fix (M10 x 50mm Thread with Nut & Washer - requires 11mm hole)
Class:	III
IP Rating:	IP20
Rotation Tilt:	350 Degrees 90 Degrees
Finishes:	01 - White (White Clamp/s) 02 - Black (Black Clamp/s) 03 - Polished Chrome (Black Clamp/s) 05 - Brushed Chrome (Black Clamp/s)
Tube Diameter:	6.50mm
Input Voltage:	12VDC (<i>constant voltage</i>)
Beam Angles:	36 Degrees
Warranty:	2 Years
Dimming:	Not dimmable
Ordering:	3 step order code (<i>see page 6</i>)
Lithium Battery Options:	DLT2541/X (4aH Rechargeable Lithium Polymer Battery Add-On) DLT2544/X (8aH Rechargeable Lithium Polymer Battery Add-On) DLT2545/X (10aH Rechargeable Lithium Polymer Battery Add-On) DLT2546/X (14aH Rechargeable Lithium Polymer Battery Add-On) DLT2548/X (22aH Rechargeable Lithium Polymer Battery Add-On)


BKIT1XS114.300.RF - 1 Spot Kit




BKIT2XS114.300.RF - 2 Spot Kit



BKIT3XS114.300.RF - 3 Spot Kit



BKIT4XS114.300.RF - 4 Spot Kit



Spectrum LV Plug & Play Stalk Spotlight Kits - Battery Operated

BKIT1XS114.300.RF - 1 Spot Kit Battery Options

DLT2541/9 12 Hours (4aH)
DLT2544/9 25 Hours (8aH)
DLT2545/9 31 Hours (10aH)
DLT2546/9 43 Hours (14aH)
DLT2548/9 68 Hours (22aH)

BKIT2XS114.300.RF - 2 Spot Kit Battery Options

DLT2541/10 6 Hours (4aH)
DLT2544/10 12 Hours (8aH)
DLT2545/10 15 Hours (10aH)
DLT2546/10 21 Hours (14aH)
DLT2548/10 33 Hours (22aH)

BKIT3XS114.300.RF - 3 Spot Kit Battery Options

DLT2541/11 4 Hours (4aH)
DLT2544/11 8 Hours (8aH)
DLT2545/11 10 Hours (10aH)
DLT2546/11 14 Hours (14aH)
DLT2548/11 22 Hours (22aH)

BKIT4XS114.300.RF - 4 Spot Kit Battery Options

DLT2541/12 3 Hours (4aH)
DLT2544/12 6 Hours (8aH)
DLT2545/12 7 Hours (10aH)
DLT2546/12 10 Hours (14aH)
DLT2548/12 16 Hours (22aH)

THREE STEP ORDERING

	1	2	3
KIT CODE	CCT	FINISH	BATTERY OPTION
BKIT1XS114.300.RF	WW	01	DLT2541/9
BKIT2XS114.300.RF	CW	02	DLT2544/9
BKIT3XS114.300.RF		03	DLT2545/9
BKIT4XS114.300.RF		05	DLT2546/9
			DLT2548/9
			DLT2541/10
			DLT2544/10
			DLT2545/10
			DLT2546/10
			DLT2548/10
			DLT2541/11
			DLT2544/11
			DLT2545/11
			DLT2546/11
			DLT2548/11
			DLT2541/12
			DLT2544/12
			DLT2545/12
			DLT2546/12
			DLT2548/12

Example Order Code: BKIT2XS114.300.RF.CW.03.**DLT2546/10**