

PRODUCT SHEET

PyraLED

Type: High Output Flush Mount LED Cluster Downlights



PYRALED R28




Integrated CREE LEDs

Length x Width:	340mm x 170mm				
CRI:	80>				
Recessed Depth:	52mm				
Colour Temperature/s:	3000K	3700K	4000K	5500K	6500K
Beam Angle:	10°	30°	45°	60°	
Lumens:	6250lm				
Finishes:	White	Black	Chrome	Brushed Chrome	Gold
Cut-out:	310mm x 150mm				
Material:	Aluminium				
Fixing:	Clip Springs				
Warranty:	5 Years				
Input Voltage:	220-240VAC				
IP rating:	IP20				
Watts:	48W				
Lamp:	Integral LEDs (<i>non replaceable</i>)				
Lumens per Watt:	140				

PRODUCT SHEET

PYRALED S25



Integrated CREE LEDs

Length x Width: 240mm x 240mm

CRI: 80>

Recessed Depth: 32mm

Colour Temperature/s: 3000K 3700K 4000K 5500K 6500K

Beam Angle: 10° 30° 45° 60°

Lumens: 5750lm

Finishes: White Black Chrome Brushed Chrome Gold

Cut-out: 220mm x 220mm

Material: Aluminium

Fixing: Clip Springs

Warranty: 5 Years

Input Voltage: 220-240VAC

IP rating: IP20

Watts: 43W

Lamp: Integral LEDs (*non replaceable*)

Lumens per Watt: 140

PYRALED S16



Integrated CREE LEDs

Length x Width: 180mm x 180mm

CRI: 80>

Recessed Depth: 32mm

Colour Temperature/s: 3000K 3700K 4000K 5500K 6500K

Beam Angle: 10° 30° 45° 60°

Lumens: 3780lm

Finishes: White Black Chrome Brushed Chrome Gold

Cut-out: 150mm x 150mm

Material: Aluminium

Fixing: Clip Springs

Warranty: 5 Years

Input Voltage: 220-240VAC

IP rating: IP20

Watts: 30W

Lamp: Integral LEDs (*non replaceable*)

Lumens per Watt: 140

PRODUCT SHEET

PYRALED S9



Integrated CREE LEDs

Length x Width: 150mm x 150mm

CRI: 80>

Recessed Depth: 32mm

Colour Temperature/s: 3000K 3700K 4000K 5500K 6500K

Beam Angle: 10° 30° 45° 60°

Lumens: 1900lm

Finishes: White Black Chrome Brushed Chrome Gold

Cut-out: 125mm x 125mm

Material: Aluminium

Fixing: Clip Springs

Warranty: 5 Years

Input Voltage: 220-240VAC


IP rating: IP20

Watts: 16W

Lamp: Integral LEDs (*non replaceable*)

Lumens per Watt: 140

PYRALED S4



Integrated CREE LEDs

Length x Width: 120mm x 120mm

CRI: 80>

Recessed Depth: 32mm

Colour Temperature/s: 3000K 3700K 4000K 5500K 6500K

Beam Angle: 10° 30° 45° 60°

Lumens: 900lm

Finishes: White Black Chrome Brushed Chrome Gold

Cut-out: 90mm x 90mm

Material: Aluminium

Fixing: Clip Springs

Warranty: 5 Years

Input Voltage: 220-240VAC

IP rating: IP20

Watts: 8W

Lamp: Integral LEDs (*non replaceable*)

Lumens per Watt: 140

PRODUCT SHEET


PYRALED C26



Integrated CREE LEDs

Diameter:	Ø230mm				
CRI:	80>				
Recessed Depth:	50mm				
Colour Temperature/s:	3000K	3700K	4000K	5500K	6500K
Beam Angle:	10°	30°	45°	60°	
Lumens:	5900lm				
Finishes:	White	Black	Chrome	Brushed Chrome	Gold
Cut-out:	Ø200mm				
Material:	Aluminium				
Fixing:	Clip Springs				
Warranty:	5 Years				
Input Voltage:	220-240VAC				
IP rating:	IP20				
Watts:	45W				
Lamp:	Integral LEDs (<i>non replaceable</i>)				
Lumens per Watt:	140				

PYRALED C20



Integrated CREE LEDs

Diameter:	Ø190mm				
CRI:	80>				
Recessed Depth:	50mm				
Colour Temperature/s:	3000K	3700K	4000K	5500K	6500K
Beam Angle:	10°	30°	45°	60°	
Lumens:	4400lm				
Finishes:	White	Black	Chrome	Brushed Chrome	Gold
Cut-out:	Ø180mm				
Material:	Aluminium				
Fixing:	Clip Springs				
Warranty:	5 Years				
Input Voltage:	220-240VAC				
IP rating:	IP20				
Watts:	34W				
Lamp:	Integral LEDs (<i>non replaceable</i>)				
Lumens per Watt:	140				

PRODUCT SHEET

PYRALED C16



Integrated CREE LEDs

Diameter:	Ø160mm				
CRI:	80>				
Recessed Depth:	50mm				
Colour Temperature/s:	3000K	3700K	4000K	5500K	6500K
Beam Angle:	10°	30°	45°	60°	
Lumens:	3780lm				
Finishes:	White	Black	Chrome	Brushed Chrome	Gold
Cut-out:	Ø200mm				
Material:	Aluminium				
Fixing:	Clip Springs				
Warranty:	5 Years				
Input Voltage:	220-240VAC				
IP rating:	IP20				
Watts:	30W				
Lamp:	Integral LEDs (<i>non replaceable</i>)				
Lumens per Watt:	140				

PYRALED C12



Integrated CREE LEDs

Diameter:	Ø140mm				
CRI:	80>				
Recessed Depth:	50mm				
Colour Temperature/s:	3000K	3700K	4000K	5500K	6500K
Beam Angle:	10°	30°	45°	60°	
Lumens:	2750lm				
Finishes:	White	Black	Chrome	Brushed Chrome	Gold
Cut-out:	Ø130mm				
Material:	Aluminium				
Fixing:	Clip Springs				
Warranty:	5 Years				
Input Voltage:	220-240VAC				
IP rating:	IP20				
Watts:	22W				
Lamp:	Integral LEDs (<i>non replaceable</i>)				
Lumens per Watt:	140				

PRODUCT SHEET


PYRALED C9



Integrated CREE LEDs

Diameter:	Ø115mm				
CRI:	80>				
Recessed Depth:	40mm				
Colour Temperature/s:	3000K	3700K	4000K	5500K	6500K
Beam Angle:	10°	30°	45°	60°	
Lumens:	1500lm				
Finishes:	White	Black	Chrome	Brushed Chrome	Gold
Cut-out:	Ø105mm				
Material:	Aluminium				
Fixing:	Clip Springs				
Warranty:	5 Years				
Input Voltage:	220-240VAC				
IP rating:	IP20				
Watts:	13W				
Lamp:	Integral LEDs (<i>non replaceable</i>)				
Lumens per Watt:	140				

PYRALED C5



Integrated CREE LEDs

Diameter:	Ø90mm				
CRI:	80>				
Recessed Depth:	40mm				
Colour Temperature/s:	3000K	3700K	4000K	5500K	6500K
Beam Angle:	10°	30°	45°	60°	
Lumens:	750lm				
Finishes:	White	Black	Chrome	Brushed Chrome	Gold
Cut-out:	Ø80mm				
Material:	Aluminium				
Fixing:	Clip Springs				
Warranty:	5 Years				
Input Voltage:	220-240VAC				
IP rating:	IP20				
Watts:	8W				
Lamp:	Integral LEDs (<i>non replaceable</i>)				
Lumens per Watt:	140				

PRODUCT SHEET

PYRALED CR26



Integrated CREE LEDs

Diameter: Ø230mm

CRI: 80>

Recessed Depth: 60mm

Colour Temperature/s: 3000K 3700K 4000K 5500K 6500K

Beam Angle: 10° 30° 45° 60°

Lumens: 5900lm

Finishes: White Black Chrome Brushed Chrome Gold

Cut-out: Ø195mm

Material: Aluminium

Fixing: Clip Springs

Warranty: 5 Years

Input Voltage: 220-240VAC

IP rating: IP20

Watts: 45W

Lamp: Integral LEDs (*non replaceable*)

Lumens per Watt: 140

PYRALED CR16



Integrated CREE LEDs

Diameter: Ø192mm

CRI: 80>

Recessed Depth: 54mm

Colour Temperature/s: 3000K 3700K 4000K 5500K 6500K

Beam Angle: 10° 30° 45° 60°

Lumens: 3780lm

Finishes: White Black Chrome Brushed Chrome Gold

Cut-out: Ø180mm

Material: Aluminium

Fixing: Clip Springs

Warranty: 5 Years

Input Voltage: 220-240VAC

IP rating: IP20

Watts: 30W

Lamp: Integral LEDs (*non replaceable*)

Lumens per Watt: 140

PRODUCT SHEET

PYRALED R28CCT



Integrated CREE LEDs

Remote Control by IOS or Android App



Length x Width:	340mm x 170mm				
CRI:	80>				
Recessed Depth:	52mm				
Colour Temperature/s:	Colour Adjustable 2700K - 6500K				
Beam Angle:	10°	30°	45°	60°	
Lumens:	6250lm				
Finishes:	White	Black	Chrome	Brushed Chrome	Gold
Cut-out:	310mm x 150mm				
Material:	Aluminium				
Fixing:	Clip Springs				
Warranty:	5 Years				
Input Voltage:	220-240VAC				
IP rating:	IP20				
Watts:	48W				
Lamp:	Integral LEDs (<i>non replaceable</i>)				
Lumens per Watt:	140				

Ordering

Example order code: **PYRALED R28.55.45.03**

Type	Colour Temperature		Beam Angle		Finish	
PYRALED R28	30	3000K	10	10°	01	White
PYRALED S25	37	3700K	30	30°	02	Black
PYRALED S16	40	4000K	45	45°	03	Polished Chrome
PYRALED S9	55	5500K	60	60°	05	Brushed Chrome
PYRALED S4	65	6500K			13	Anodised Gold
PYRALED C26						
PYRALED C20						
PYRALED C16						
PYRALED C12						
PYRALED C9						
PYRALED C5						
PYRALED R28CCT						

ALL PYRALED FLUSH MOUNTED DOWNLIGHTS ARE SUPPLIED COMPLETE WITH PRE-WIRED LED POWER SUPPLY (220-240VAC)

0044 (0) 161 207 3355 www.display-lighting.com See Displays in a New Light