

Recessed Spots Fixed LED>The 1W/2W LED Spots Aluminium

DL10103B-W-C




1W/2W COB LED recessed spot IP20.

Requires 350mA/700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Dimensions




Must be ordered separately




DL89004



DL89004A



DL89004AT



DL89004T

Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The 1W/2W LED Spots Aluminium
Order Code	DL10103B-W-C
Colour	White
Material	Aluminium
Shape	Circular

Height	35mm
Diameter	42mm
Cutout Hole Diameter	35mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA/700mA
Safety Class	
Power(Watts)	1W/2W
IP Rating	IP20
Light Source	LED built in
LED Brand	Bridgelux
LED Number	1
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	4000K
Lumen Output	200lm@700mA
Light Efficiency	100lm/W
CRI	90
Beam Angle	40°
Illumination Diagram	

Packing Info

Box Length	6,5cm
Box Width	5,5cm
Box Height	5,5cm
Box Weight	0,071kg
Pcs/Carton	100
Barcode	5291889068150
HS Code	9405409900

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes