


# 12V TWIN WIRE TRACK LIGHTING SYSTEM

## 2023



## 12V Twin Wire Track Lighting System



The Twin Wire lighting system from Display Lighting Ltd can prove to be the only solution in certain interiors where the ceiling heights and surfaces make installing standard lighting impossible. The Twin Wire lighting system can be used in vertical or horizontal planes and the choice of spotlights offer endless possibilities when illuminating almost any display or interior, just add imagination. For advice on creating the most effective Twin Wire system for your application please contact one of the Display Lighting sales team who will be more than happy to advise on the different components required to suit your interior space.

**A typical simple set of Twin Wire components required for spanning between two stable vertical surfaces would be:**


- 2 x lengths of cable - *plus extra cable to connect between Live Feeds and Transformer.*
- 1 x Pair of Adjustable Wall Holders - *for tensioning.*
- 1 x Pair of Standard Wall Holders.
- 1 x Pair of Live Feeds.
- Spotlights of your choice - *the majority of spotlights also require retrofit LED lamps.*
- Transformer - *choose the nearest sized transformer over and above the total watts of the LED lamps i.e. 105Va or 200Va.*

**Useful Tip:**

- To span a space over 6m we would recommend installing a central support to avoid the cable sagging (DL186332 or DL186342).


## 12V Twin Wire Track Lighting System

### DL139070 Cable Spotlight - Black




Overall Height: **600mm** (*Adjustable*)  
 Width: **30mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **20W**  
 Rotation: **N/A**  
 Tilt: **180 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Stainless Steel**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Black/Chrome**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.07Kg**

### DL139071 Cable Spotlight - White



Overall Height: **600mm** (*Adjustable*)  
 Width: **30mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **20W**  
 Rotation: **N/A**  
 Tilt: **180 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Stainless Steel**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **White/Chrome**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.07Kg**

### DL139072 Cable Spotlight - Chrome



Overall Height: **600mm** (*Adjustable*)  
 Width: **30mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **20W**  
 Rotation: **N/A**  
 Tilt: **180 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Stainless Steel**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **White/Chrome**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.07Kg**

## 12V Twin Wire Track Lighting System

### DL139080 Telescope Spotlight - Black



Overall Height: **255mm**  
 Width: **45mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **20W**  
 Rotation: **N/A**  
 Tilt: **180 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Black/Chrome**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.06Kg**

### DL139081 Telescope Spotlight - White



Overall Height: **255mm**  
 Width: **45mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **20W**  
 Rotation: **N/A**  
 Tilt: **180 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **White/Chrome**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.06Kg**

### DL139082 Telescope Spotlight - Chrome



Overall Height: **255mm**  
 Width: **45mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **20W**  
 Rotation: **N/A**  
 Tilt: **180 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Chrome**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.06Kg**

## 12V Twin Wire Track Lighting System

### DL139090 Cosmic Spotlight - Black



Overall Height: **30mm**  
 Width: **182mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **2 (1 Pair)**  
 Maximum Wattage: **35W**  
 Rotation: **180 Degrees**  
 Tilt: **90 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Black/Chrome**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.12Kg**

### DL139091 Cosmic Spotlight - White



Overall Height: **30mm**  
 Width: **182mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **2 (1 Pair)**  
 Maximum Wattage: **35W**  
 Rotation: **180 Degrees**  
 Tilt: **90 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **White/Chrome**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.12Kg**

### DL139092 Cosmic Spotlight - Chrome



Overall Height: **30mm**  
 Width: **182mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **2 (1 Pair)**  
 Maximum Wattage: **35W**  
 Rotation: **180 Degrees**  
 Tilt: **90 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Chrome/Black**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.12Kg**

## 12V Twin Wire Track Lighting System

### DL139100 Syros Spotlight - Black



Overall Height: **100mm**  
 Width: **180mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **50W**  
 Rotation: **350 Degrees**  
 Tilt: **90 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Black**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.16Kg**

### DL139101 Syros Spotlight - White



Overall Height: **100mm**  
 Width: **180mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **50W**  
 Rotation: **350 Degrees**  
 Tilt: **90 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **White**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.16Kg**

### DL139102 Syros Spotlight - Chrome



Overall Height: **100mm**  
 Width: **180mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **50W**  
 Rotation: **350 Degrees**  
 Tilt: **90 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Chrome**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.16Kg**



## 12V Twin Wire Track Lighting System

### DL139110 AR111 Spotlight - Black



Overall Height: **11mm**  
 Width: **190mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **35W**  
 Rotation: **180 Degrees**  
 Tilt: **180 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Black**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.11Kg**

### DL139111 AR111 Spotlight - White



Overall Height: **11mm**  
 Width: **190mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **35W**  
 Rotation: **180 Degrees**  
 Tilt: **180 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **White**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.11Kg**

### DL139112 AR111 Spotlight - Chrome



Overall Height: **11mm**  
 Width: **190mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **35W**  
 Rotation: **180 Degrees**  
 Tilt: **180 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Chrome**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.11Kg**

## 12V Twin Wire Track Lighting System

### DL139120 Comet Spotlight - Black



Overall Height: **75mm**  
 Width: **185mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **35W**  
 Rotation: **N/A**  
 Tilt: **90 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass/Glass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Black**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.20Kg**

### DL139121 Comet Spotlight - White



Overall Height: **75mm**  
 Width: **185mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **35W**  
 Rotation: **N/A**  
 Tilt: **90 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass/Glass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **White**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.20Kg**

### DL139122 Comet Spotlight - Chrome



Overall Height: **75mm**  
 Width: **185mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **35W**  
 Rotation: **N/A**  
 Tilt: **90 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass/Glass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Chrome**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.20Kg**



## 12V Twin Wire Track Lighting System

### DL139130 Saluna Spotlight - Black



Overall Height: **125mm**  
 Width: **185mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **35W**  
 Rotation: **350 Degrees**  
 Tilt: **90 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Black**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.212Kg**

### DL139131 Saluna Spotlight - White



Overall Height: **125mm**  
 Width: **185mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **35W**  
 Rotation: **350 Degrees**  
 Tilt: **90 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **White**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.212Kg**

### DL139132 Saluna Spotlight - Chrome



Overall Height: **125mm**  
 Width: **185mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Maximum Wattage: **35W**  
 Rotation: **350 Degrees**  
 Tilt: **90 Degrees**  
 Dimming: **See Lamp Data**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Chrome**  
 Recommended Lamp/s: **Lamp not Included**  
 Weight: **0.212Kg**


## 12V Twin Wire Track Lighting System

### DL1002864 PLYTTA Spotlight - Black




Overall Height: **17mm**  
 Length x Width: **240mm x 175mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Wattage: **9.8W**  
 Beam Angle: **120 Degrees**  
 LXXBXX Data: **L70B50**  
 Dimming: **N/A**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Black**  
 Colour Temperature: **2700K CRI80>**  
 Weight: **0.453Kg**

### DL1002865 PLYTTA Spotlight - White



Overall Height: **17mm**  
 Length x Width: **240mm x 175mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Wattage: **9.8W**  
 Beam Angle: **120 Degrees**  
 LXXBXX Data: **L70B50**  
 Dimming: **N/A**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **White**  
 Colour Temperature: **2700K CRI80>**  
 Weight: **0.453Kg**

### DL1002866 PLYTTA Spotlight - Chrome



Overall Height: **17mm**  
 Length x Width: **240mm x 175mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Wattage: **9.8W**  
 Beam Angle: **120 Degrees**  
 LXXBXX Data: **L70B50**  
 Dimming: **N/A**  
 Material/s: **Steel/Brass**  
 Beam Angle: **See Lamp Data**  
 Input Voltage: **12VAC/DC**  
 Finish: **Chrome**  
 Colour Temperature: **2700K CRI80>**  
 Weight: **0.453Kg**

## 12V Twin Wire Track Lighting System

### DL1002861 DURNO Spotlight - Black



Overall Height: **26.5mm**  
 Width: **186mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Wattage: **6W**  
 Rotation: **180 Degrees**  
 Tilt: **180 Degrees**  
 Beam Angle: **120 Degrees**  
 LXXBXX Data: **L70B50**  
 Dimming: **N/A**  
 Material/s: **Steel/Brass**  
 Beam Angle: **120 Degrees**  
 Input Voltage: **12VAC/DC**  
 Finish: **Black**  
 Colour Temperature: **2700K CRI80>**  
 Weight: **0.291Kg**

### DL1002862 DURNO Spotlight - White



Overall Height: **26.5mm**  
 Width: **186mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Wattage: **6W**  
 Rotation: **180 Degrees**  
 Tilt: **180 Degrees**  
 Beam Angle: **120 Degrees**  
 LXXBXX Data: **L70B50**  
 Dimming: **N/A**  
 Material/s: **Steel/Brass**  
 Beam Angle: **120 Degrees**  
 Input Voltage: **12VAC/DC**  
 Finish: **White**  
 Colour Temperature: **2700K CRI80>**  
 Weight: **0.291Kg**

### DL1002863 DURNO Spotlight - Chrome



Overall Height: **26.5mm**  
 Width: **186mm**  
 Wire Spacing: **155mm**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Wattage: **6W**  
 Rotation: **180 Degrees**  
 Tilt: **180 Degrees**  
 Beam Angle: **120 Degrees**  
 LXXBXX Data: **L70B50**  
 Dimming: **N/A**  
 Material/s: **Steel/Brass**  
 Beam Angle: **120 Degrees**  
 Input Voltage: **12VAC/DC**  
 Finish: **Chrome**  
 Colour Temperature: **2700K CRI80>**  
 Weight: **0.291Kg**

## 12V Twin Wire Track Lighting System

### DL138991 210Va Twin Wire Transformer - White



Height: **130mm**  
 Diameter: **135mm**  
 Fixing: **Screw Fix**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Wattage: **210W**  
 Material/s: **Steel**  
 Dimming: **Leading Edge**  
 Input Voltage: **230-240VAC**  
 Output Voltage: **12VAC**  
 Finish: **White**  
 Weight: **3.233Kg**

### DL138992 210Va Twin Wire Transformer - Chrome



Height: **130mm**  
 Diameter: **135mm**  
 Fixing: **Screw Fix**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Wattage: **210W**  
 Material/s: **Steel**  
 Dimming: **Leading Edge**  
 Input Voltage: **230-240VAC**  
 Output Voltage: **12VAC**  
 Finish: **Chrome**  
 Weight: **3.233Kg**

### DL138981 105Va Twin Wire Transformer - White



Height: **110mm**  
 Diameter: **111mm**  
 Fixing: **Screw Fix**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Wattage: **105W**  
 Material/s: **Steel**  
 Dimming: **Leading Edge**  
 Input Voltage: **230-240VAC**  
 Output Voltage: **12VAC**  
 Finish: **White**  
 Weight: **2.194Kg**

### DL138982 105Va Twin Wire Transformer - Chrome



Height: **130mm**  
 Diameter: **135mm**  
 Fixing: **Screw Fix**  
 IP Rating: **IP20**  
 Qty per Pack: **1**  
 Wattage: **105W**  
 Material/s: **Steel**  
 Dimming: **Leading Edge**  
 Input Voltage: **230-240VAC**  
 Output Voltage: **12VAC**  
 Finish: **Chrome**  
 Weight: **2.163Kg**

## 12V Twin Wire Track Lighting System

### DL139050 20m x 6mm Insulated Low Voltage Cable - Black



Diameter: **6mm**  
Length: **20m**  
IP Rating: **IP20**  
Material/s: **Copper**  
Finish: **Black Insulated**  
Weight: **1.27Kg**

### DL139051 20m x 6mm Insulated Low Voltage Cable - White




Diameter: **6mm**  
Length: **20m**  
IP Rating: **IP20**  
Material/s: **Copper**  
Finish: **White Insulated**  
Weight: **1.27Kg**

### DL139026 20m x 6mm Insulated Low Voltage Cable - Clear



Diameter: **6mm**  
Length: **20m**  
IP Rating: **IP20**  
Material/s: **Copper**  
Finish: **Clear Insulated**  
Weight: **1.27Kg**



## 12V Twin Wire Track Lighting System

### DL139060 100m x 6mm Insulated Low Voltage Cable - Black



Diameter: **6mm**  
Length: **100m**  
IP Rating: **IP20**  
Material/s: **Copper**  
Finish: **Black Insulated**  
Weight: **6.24Kg**

### DL139061 100m x 6mm Insulated Low Voltage Cable - White




Diameter: **6mm**  
Length: **100m**  
IP Rating: **IP20**  
Material/s: **Copper**  
Finish: **White Insulated**  
Weight: **6.24Kg**

### DL139006 100m x 6mm Insulated Low Voltage Cable - Clear



Diameter: **6mm**  
Length: **100m**  
IP Rating: **IP20**  
Material/s: **Copper**  
Finish: **Clear Insulated**  
Weight: **6.24Kg**





## 12V Twin Wire Track Lighting System

### DL186310 Twin Wire Tensioning Wall Holder - Black



Diameter: **50mm**  
Length: **115mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Black**  
Weight: **0.22Kg**

### DL186311 Twin Wire Tensioning Wall Holder - White



Diameter: **50mm**  
Length: **115mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **White**  
Weight: **0.22Kg**

### DL186312 Twin Wire Tensioning Wall Holder - Chrome



Diameter: **50mm**  
Length: **115mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Chrome**  
Weight: **0.22Kg**



## 12V Twin Wire Track Lighting System

### DL186300 Twin Wire Wall Holder - Black



Diameter: **50mm**  
Length: **30mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Black**  
Weight: **0.15Kg**

### DL186301 Twin Wire Wall Holder - White



Diameter: **50mm**  
Length: **30mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **White**  
Weight: **0.15Kg**

### DL186302 Twin Wire Wall Holder - Chrome



Diameter: **50mm**  
Length: **30mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Chrome**  
Weight: **0.15Kg**



## 12V Twin Wire Track Lighting System

### DL181530 Twin Wire Tensioner - Black



Diameter: **10mm**  
Length: **110mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Black**  
Weight: **0.09Kg**

### DL181531 Twin Wire Tensioner - White



Diameter: **10mm**  
Length: **110mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **White**  
Weight: **0.09Kg**

### DL181532 Twin Wire Tensioner - Chrome



Diameter: **10mm**  
Length: **110mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Chrome**  
Weight: **0.09Kg**



## 12V Twin Wire Track Lighting System

### DL186360 Twin Wire Insulated Connector - Black



Diameter: **10mm**  
Length: **64mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Black**  
Weight: **0.07Kg**

### DL186361 Twin Wire Insulated Connector - White




Diameter: **10mm**  
Length: **64mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **White**  
Weight: **0.07Kg**

### DL186362 Twin Wire Insulated Connector - Chrome



Diameter: **10mm**  
Length: **64mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Chrome**  
Weight: **0.07Kg**



## 12V Twin Wire Track Lighting System

### DL186350 Twin Wire Live Feed - Black



Diameter: **10mm**  
Length: **18mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Black**  
Weight: **0.03Kg**

### DL186351 Twin Wire Live Feed - White




Diameter: **10mm**  
Length: **18mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **White**  
Weight: **0.03Kg**

### DL186352 Twin Wire Live Feed - Chrome



Diameter: **10mm**  
Length: **18mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Chrome**  
Weight: **0.03Kg**



## 12V Twin Wire Track Lighting System

### DL186340 Twin Wire Long Deflector - Black



Diameter: **50mm**  
Length: **160mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Black**  
Weight: **0.32Kg**

### DL186341 Twin Wire Long Deflector - White



Diameter: **50mm**  
Length: **160mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **White**  
Weight: **0.32Kg**

### DL186342 Twin Wire Long Deflector - Chrome



Diameter: **50mm**  
Length: **160mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Chrome**  
Weight: **0.32Kg**





## 12V Twin Wire Track Lighting System

### DL186330 Twin Wire Short Deflector - Black



Diameter: **50mm**  
Length: **60mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Black**  
Weight: **0.17Kg**

### DL186341 Twin Wire Short Deflector - White



Diameter: **50mm**  
Length: **60mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **White**  
Weight: **0.17Kg**

### DL186342 Twin Wire Short Deflector - Chrome



Diameter: **50mm**  
Length: **60mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Chrome**  
Weight: **0.17Kg**



## 12V Twin Wire Track Lighting System

### DL186640 Twin Wire Ceiling Deflector - Black



Diameter: **50mm**  
Length: **160mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Black**  
Weight: **0.83Kg**

### DL186641 Twin Wire Ceiling Deflector - White



Diameter: **50mm**  
Length: **160mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **White**  
Weight: **0.83Kg**

### DL186642 Twin Wire Ceiling Deflector - Chrome



Diameter: **50mm**  
Length: **160mm**  
Qty per Pack: **2 (1 Pair)**  
IP Rating: **IP20**  
Material/s: **Steel/Aluminium**  
Finish: **Chrome**  
Weight: **0.83Kg**





12V Twin Wire Track Lighting System

 display lighting

[www.display-lighting.com](http://www.display-lighting.com)