

BST2 Beamlite MR16 LV Pro Spotlights



BST2 Beamlite MR16 LV Pro double spotlight is manufactured by Display Lighting Ltd in our workshop in Cheshire, UK.

Beamlite is a range of reliable contemporary spotlights constructed from solid brass to ensure a high quality, long lasting finishes and is available in single (BST1) and double (BST2) versions.

Designed to be screw fixed to the top of beams and exhibition panels for either general room illumination or for illuminating wall mounted graphics and artwork.

- Accepts MR16 LED lamps.
- Specialised focused lighting for exhibition lighting.
- Low heat illumination.
- No ultraviolet light so does not fade materials.
- Unobtrusive.
- Bespoke product manufactured to specification.
- Reduces heat emissions and heat build-up in store.
- Reduces energy bills by up to 80%.
- Choice of finishes.

Technical Specifications

Length:	500mm (specified lengths available to order)
Spotlight Options:	S122 (<i>outward facing</i>) S124 (<i>backward facing</i>)
Lamp:	MR16
Colour Temperature/s:	WW - 3000K NW - 4000K DW - 6500K
Voltage:	12VDC
Maximum Watts:	2 x 10W
Beam Angle:	38 Degrees
Dimming:	Dimmable & Non Dimmable Lamps Available
Fixing:	Screw Fix Collar (<i>Diameter 50mm x Height 18mm</i>)
CRI:	See LED lamp data
Class:	III
IP Rating:	IP20
Material/s:	Brass
Finishes Available:	01 - White 02 - Black 03 - Chrome 04 - Polished Brass (Lacquered) 05 - Brushed Chrome 06 - Antique Brass (Lacquered) 07 - Polished Nickel 08 - Brushed Nickel 15 - Brushed Brass (Lacquered) 16 - Rose Gold (Lacquered) XXX - RAL Colours
Power Options:	P&P - Plug & Play Standard On/Off Driver with 2m mains lead & UK plug. P&P/DT - Plug & Play TRIAC (Mains) Dimmable Driver (no mains lead). P&P/OO - Plug & Play Standard On/Off Driver (no mains lead).
Tube Extension Diameter:	6.50mm
Warranty:	5 Years
Ordering:	4 step order code (see page 3)

BST2 Beamlite MR16 LV Pro Spotlights



S122

Diameter: 25mm
Adjustment: 90 Degrees (*Outward Facing*)
Tilt: 350 Degrees
Material: Brass
Mounting: Vertical or Horizontal
Cap: GU5.3
Lamp: MR16



S124

Diameter: 25mm
Adjustment: 90 Degrees (*Backward Facing*)
Tilt: 350 Degrees
Material: Brass
Mounting: Vertical or Horizontal
Cap: GU5.3
Lamp: MR16

BST2 Beamlite Fixing



Diameter: 50mm
Height: 18mm
Fixing: Screw Fix (*Screws not supplied*)
Material: Brass
Mounting: Horizontal or Vertical

BST2 Beamlite MR16 LV Pro Spotlights

POWER OPTIONS

- P&P** Plug & Play - Standard On/Off Driver (2m mains lead & UK plug)
- P&P/DT** Plug & Play | TRIAC (Mains) Dimmable Driver (no mains lead)
- P&P/OO** Plug & Play | Standard On/Off Driver (no mains lead)
- X** Driver or Dimmer not required (not recommended)

4 STEP ORDERING

	1	2	3	4
	MODEL	FINISH	LED LAMP	POWER
BST2	S122 S124	01 - White 02 - Black 03 - Chrome 04 - Brass 05 - Brushed Chrome 06 - Antique Brass 07 - Polished Nickel 08 - Brushed Nickel 15 - Brushed Brass 16 - Copper XXX - RAL Colour	WW - 3000K NW - 4000K DW - 6500K	P&P P&P/DT P&P/OO X

Example Order Code: **BST2.S122.02.WW.P&P**

NOTES:

